

:
()
: 16 /2017

μ μ -

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501-+	(17/07-09-2016)	
μ					
20.02	1	μ - μ	02-03-00-00		
20.10	2	μ , μ	02-07-02-00		
18.2	3	μ , μ	02-06-00-00		
	4	4 μ	02-07-01-00 *	μ μ μ	02-07-01-00
20	4	μ	14-02-02-01		
22.04	5	μ			
22.30.07	6	μ , μ , 1,50 m2 , 2,00 m2			
5.10	7	μ μ	08-03-02-00		
20.06.03	8	μ μ μ μ 2,00 m			
32.01.04	9	μ , μ μ , μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
32.01.05	10	μ , μ μ , μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		

*

	μ.		1501- +	(17/07-09-2016)	
μ					
35.02	11	μ μ . μ			
38.03	12		01-04-00-00		
38.20.02	13	μ μ , B500C.	01-02-01-00 *	μ μ	01-02-01-00
38.20.03	14	μ μ , μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
79.02	15	μ μ μ μ			
79.11.03	16	μ μ μ μ , μ μ μ , μ 0,08 mm	03-06-01-01 *	μ - μ μ μ	03-06-01-01
79.37	17	μ μ μ	08-05-02-05		
46.10.01	18	9x12x19 cm, μ μ 1/4 (μ)	03-02-02-00 *	μ	03-02-02-00
46.10.04	19	9x12x19 cm, μ μ 1 (μ) (μ μ)	03-02-02-00 *	μ	03-02-02-00
49.01.01	20	μ () μ μ μ μ μ			
61.13	21	μ μ			
61.19	22	μ			
71.21	23	μ - μ μ μ	03-03-01-00		
71.71	24	μ μ			
77.15	25	μ μ μ	03-10-02-00		
77.80.01	26	μ μ , μ μ μ μ , μ	03-10-02-00		
77.83	27	X μ μ RELIEF μ μ μ	03-10-02-00		
77.99	28	μ μ μ			
73.26.01	29	15x15 cm, μ μ , μ ,	03-07-02-00		
73.33.03	30	40x40 cm μ μ , GROUP 4,	03-07-02-00		
73.35	31	() μ			

	μ.		1501- +	(17/07-09-2016)	
μ					
73.76	32	μ μ μ μ μ			
74.23	33	μ μ			
74.30.07	34	μ , 3 cm, 11 25 μ , μ	03-07-03-00 *	μ	03-07-03-00
75.01.01	35	μ μ , μ (μ 2 cm) 11 - 30 cm	03-07-03-00 *	μ	03-07-03-00
75.11.01	36	() μ μ μ , 2 cm	03-07-03-00 *	μ	03-07-03-00
75.31.01	37	μ μ μ , 2 cm	03-07-03-00 *	μ	03-07-03-00
75.41.01	38	μ μ 2,00 m μ μ μ , 3 / 2 cm (/μ)	03-07-03-00 *	μ	03-07-03-00
75.58.01	39	μ μ μ μ μ μ 2 cm			
	40				
73.91	41	μ 5 cm μ μ			
73.36.02	42	, 2,5 cm μ μ μ			
54.46.01	43	13 cm μ μ ,	03-08-01-00		
54.63.02	44	μ , 23 cm μ μ μ	03-08-01-00		
56.16	45	μ (port-manteau)	03-09-01-00		
62.60.02	46	μ , μ , μ 60 min			
64.16.03	47	μ μ , 2"			
65.02.01.02	48	μ μ μ , μ μ μ , μ	03-08-03-00 *	μ μ	03-08-03-00
65.10	49	μ μ μ	03-08-03-00 *	μ μ	03-08-03-00
65.17.01	50	μ μ μ μ , μ , μ	03-08-03-00 *	μ μ	03-08-03-00
65.17.04	51	μ μ μ μ , μ , μ μ	03-08-03-00 *	μ μ	03-08-03-00
65.19	52	μ μ , μ	03-08-03-00 *	μ μ	03-08-03-00
65.25	53	μ			
72.65	54	μ μ μ sandwich μ	03-05-02-01		

	μ.		1501-+	(17/07-09-2016)	
μ					
76.23.03	55	60 min) , G60 (03-08-07-03		
76.27.01	56	μ μ - μ - 8 mm, 5 mm) 18 mm, (5 mm,	03-08-07-02		
	57				
	58	μ			
	59	-			
	60				
	61				
12.01.01.10	62	μ , μ μ μ , 1916 μ 1916 μ μ D1600 mm 120			
8062.4	63	μ μ			
8062.2	64	μ μ			
	65	μ μ μ			
	66	μ			

13/10/2017

.../10/2017

../10/2017

μ

,

/